

AUTHOR INDEX

- Abbes, O. 197
Aketagawa, J. 115
Amatore, C. 237
- Beau, J.-M. 295
Bellosta, V. 275
Bernabé, M. 361
Betaneli, V.I. 85
Blaskó, A. 1
Bunel, S. 1
Bunton, C.A. 1
- Cameron, R.E. 225
Cescutti, P. 325
Chambert, R. 129
Chandler, M. 181
Chittenden, G.J.F. 187
Czernecki, S. 275
- Dell, A. 205
Donald, A.M. 225
Doyle, R.J. 137
Dutton, G.G.S. 325
- El Bahij, S. 197
Evroni, R. 161
- Gaetjens, E. 285
Gass, J. 69
Gillier-Pandraud, H. 197
Glaudemans, C.P.J. 259
Gómez-Miranda, B. 361
Gu, K. 369
- Hashimoto, Y. 115
Hindsgaul, O. 149
- Ibarra, C. 1
- Jacquinet, J.-C. 295
Jeanloz, R.W. 171
Jiménez-Barbero, J. 361
Jin, B. 181
Jutand, A. 237
- Kaiwar, S.P. 15
Khoo, K.-H. 205
Klaffke, W. 171
Kochetkov, N.K. 85
Kosma, P. 69
Kryazhevskikh, I.A. 85
Kubota, S. 315
- Lam, Z. 325
Lankin, D.C. 49
Leal, J.A. 361
Lerner, L.M. 285
Levy, M. 161
Lindahl, U. 205
Linhardt, R.J. 369
Liu, J. 369
Loibner, A. 69
- Maccarana, A.D.M. 205
Mallet, J.-M. 237, 247
McDowell, R.A. 205
Mennitt, G. 285
Meyer, G. 237
Moraga, E. 1
Morris, H.R. 205
- Naim, M. 161
Neuman, A. 197
Ng, S. 325
Nugent, S.T. 49
- Oehrlein, R. 149
Ohi, H. 315
Ott, A.Y. 85
- Palcic, M.M. 149
Pedretti, V. 247
Pervin, A. 369
Petit-Glatron, M.-F. 129
Polacheck, I. 161
Ponder, G.R. 27, 341
Pozsgay, V. 259
Prieto, A. 361

Rao, C.P. 15
Rao, S.N. 49
Ravenscroft, N. 325
Regeling, H. 187
Rehnberg, N. 187
Renard, C.M.G.C. 99
Richards, G.N. 27, 341
Rio, S. 295
Robbins, J.B. 259

Schneerson, R. 259
Sheid, B. 285
Shibata, Y. 115
Sinay, P. 237, 247
Singh, J.S. 137
Stevens, E.S. 191
Strobl, M. 69

Takahashi, S. 115
Tanaka, S. 115

Taylor, K.G. 137
Thibault, J.-F. 99
Tsumuraya, Y. 115

Usui, T. 315

Von Itzstein, M. 181

Warren, C.D. 171
Wu, W.-Y. 181

Yvelin, F. 237

Zähringer, U. 69
Zehavi, U. 161
Ziv-Fecht, O. 161
Zwanenburg, B. 187

SUBJECT INDEX

- Absorption of water into the starch granule, a small-angle X-ray scattering study of the, 225
- Acinetobacter calcoaceticus* NCTC 10305, synthesis of a core constituent of the lipopolysaccharide from, 69
- Allyl *O*-[sodium(α -D-glycero-D-talo-2-octulopyranosyl)onate]-(2 \rightarrow 6)-acetamido-2-deoxy- β -D-glucopyranoside, synthesis of, 69
- Amino acids, essential, involved in glucan-dependent aggregation of *Streptococcus sobrius*, 137
- Anhydro sugars in aqueous solution, calculation of the optical rotation of some, 191
- 1,5-Anhydroxylitol and 1,5-anhydro-D-arabinitol 2,3,4-tris(phosphates) synthesis of, 187
- Antileukemic activity and synthesis of certain D-fucopyranosyl nucleosides, 285
- Apple and sugar-beet pectins extracted by chelating agents, structure and properties of, 99
- Branched sugars, use of silylmethylene radical cyclization for the stereoselective synthesis of, 247
- Calculation of the optical rotation of some anhydro sugars in aqueous solution, 191
- Capsular polysaccharide of *Kelbsiella* SK1-structure, and location of *O*-acetyl substituents by NMR and MS, 325
- Carbohydrate-protein linkage region common to several mammalian proteoglycans, total synthesis, 295
- Cell walls of *Eupenicillium crustaceum*, structure and conformational features of an alkali- and water-soluble galactofuranan from the, 361
- Chemical-enzymatic synthesis of a sialyl-Le^x-containing hexasaccharide found on O-linked glycoproteins, use of the "Core-II" *N*-acetylglucosaminyltransferase in the, 149
- Complexes of cobalt(II) and glucosamine. Applications of molecular mechanisms and NMR spectroscopy, structures of, 1
- Conformational analysis of 3-deoxy-3-C-(hydroxymethyl)-1,2;5,6-di-*O*-isopropylidene- α -D-allofuranose, NMR spectroscopy and, 49
- 1,2-*O*-(1-Cyanobenzylidene) derivatives, influence of glycosyl-donor structure and promoter on glycosylation by sugar, 85
- Cyclization via silylmethylene radical, use for the synthesis of branched sugars of, 247
- 3-Deoxy-3-C-(hydroxymethyl)-1,2;5,6-di-*O*-isopropylidene- α -D-allofuranose, NMR spectroscopy and conformational analysis of, 49
- Dermatan sulfate, comparison of the activity of two chondroitin AC lyases on, 369
- Disaccharides, electrosyntheses from phenyl or ethyl 1-thioglycosides, 237
- Electrosyntheses of disaccharides from phenyl or ethyl 1-thioglycosides, 237
- Eupenicillium crustaceum*, structure and conformational features of an alkali- and water-soluble galactofuranan from the cell walls of, 361
- FABMS/derivatization strategies for the analysis of heparin-derived oligosaccharides, 205
- Fructose, pyrolysis of inulin, glucose, and, 341
- D-Fucopyranosyl nucleosides, synthesis and antileukemic activity of certain, 285
- Galactofuranan from cell walls of *Eupenicillium crustaceum*, structure and conformational features of an alkali- and water-soluble, 361
- β -D-Galactosidase from *Bacillus circulans*, convenient synthesis of β -D-galactosyl disaccharide derivatives by the, 315
- β -D-Galactosyl disaccharide derivatives by the β -D-galactosidase from *Bacillus circulans*, convenient synthesis of, 315

- (1 → 3)- β -D-Glucan-dependent activation of a limulus coagulation factor G, inhibition by laminaran oligosaccharides and degradation products of, 115
- Glucan-dependent aggregation of *Streptococcus sobrinus*, essential amino acids involved in, 137
- Glucans: a mechanistic study, pyrolysis of some ^{13}C -labeled, 27
- β -D-Glucopyranosyl-benzene and β -D-mannopyranosyl-benzene, crystal studies, 197
- Glucosamine. Applications of molecular mechanisms and NMR spectroscopy, structures of complexes of cobalt(II) and, 1
- Glucose, and fructose, pyrolysis of inulin, 341
- Glycosylation by sugar 1,2-O-(1-cyanobenzylidene) derivatives, influence of glycosyl-donor structure and promoter, 85
- 2-C-Glycosyl compounds by reaction of 1,2-anhydro sugars with organocuprate reagents, 275
- Heparin-derived oligosaccharides, FAB/MS/derivatization strategies for the analysis of, 205
- Inulin, glucose, and fructose, pyrolysis of, 341
- Klebsiella* SK1 capsular polysaccharide—structure, and location O-acetyl substituents by NMR and MS, 325
- ^{13}C -Labeled glucans: a mechanistic study, pyrolysis of some, 27
- Laminaran oligosaccharides and degradation products, inhibition of high mol wt (1 → 3)- β -D-glucan-dependent activation of a limulus coagulation factor G by, 115
- Levansucrase immobilization on calcium phosphate gel, 129
- Limulus coagulation factor G, inhibition of high mol wt (1 → 3)- β -D-glucan-dependent activation by laminaran oligosaccharides and degradation products of, 115
- Linkage region common to several mammalian proteoglycans, total synthesis of the carbohydrate-protein, 295
- Lipopolysaccharide from *Acinetobacter calcoaceticus* NCTC 10305, synthesis of a core constituent of, 69
- Lyases, two chondroitin AC, comparison of the activity of on dermatan sulfate, 369
- Medicagenic acid saponins on plant pathogens: modification of the saccharide moiety and 23a substitution, synthesis and antifungal activity of, 161
- NMR spectroscopy and conformational analysis of 3-deoxy-3-C-(hydroxymethyl)-1,2;5,6-di-O-isopropylidene- α -D-all ofuranose, 49
- Nucleosides, synthesis and antileukemic activity of certain D-fucopyranosyl, 285
- Oligosaccharides derived from heparin, FAB-MS/derivatization strategies for analysis, 205
- Oligosaccharides having the β -D-Glc pNAc-(1 → 4)-D-Glc- structure, syntheses of, 171
- Optical rotation of some anhydro sugars in aqueous solution, calculation of the, 191
- Organocuprate reagents, reaction with 1,2-anhydro sugars and synthesis of 2-C-glycosyl compounds, 275
- Pectins extracted by chelating agents, structure and properties of apple and sugar-beet, 99
- Polymerase activity of bound levansucrase, 129
- Polysaccharide, capsular, of *Klebsiella* SK1—structure, and location of O-acetyl substituents by NMR and MS, 325
- Polysaccharide of *Shigella dysenteriae* type 1, O-specific, synthesis of a corresponding tetrasaccharide donor, 259
- Potassium chromate, reduction of by D-fructose, D-galactose, D-mannose, D-glucose and L-sorbose, 15
- Proteoglycans, total synthesis of the carbohydrate-protein linkage region common to several mammalian, 295
- Pyrimidin-nucleoside analogs, crystal studies of β -D-glucopyranosyl and β -D-mannopyranosyl benzene, 197
- Pyrolysis of inulin, glucose, and fructose, 341
- Pyrolysis of some ^{13}C -labeled glucans: a mechanistic study, 27
- Reduction of potassium chromate by D-fructose, D-galactose, D-mannose, D-glucose and L-sorbose, 15
- Saponins on plant pathogens: modification of the saccharide moiety and 23a substitution, synthesis and antifungal activity of medicagenic acid, 161
- Shigella dysenteriae* type 1, synthesis of a tetrasaccharide donor corresponding to the O-specific polysaccharide of, 259
- Sialic acid analogue, a convenient method for the introduction of nitrogen and sulfur at C-4 on, 181
- Sialyl-Le^x-containing hexasaccharide found on O-linked glycoproteins, use of the "Core-II" N-acetylglucosaminyltransferase in the chemical-enzymatic synthesis of a, 149

- Silylmethylene radical cyclization, use for a selective synthesis of branched sugars of, 247
- Starch granule, a small-angle X-ray scattering study of the absorption of water into the, 225
- Streptococcus sobrinus*, essential amino acids involved in glucan-dependent aggregation of, 137
- Structures of complexes of cobalt(II) and glucosamine. Applications of molecular mechanisms and NMR spectroscopy, 1
- Sugar 1,2-*O*-(1-cyanobenzylidene) derivatives, influence of glycosyl-donor structure and promoter on glycosylation by, 85
- Sugar-beet and apple pectins extracted by chelating agents, structure and properties of, 99
- Syntheses of oligosaccharides having the β -D-Glc p NAc-(1 \rightarrow 4)-D-Glc- structure, 171
- Synthesis and antifungal activity of medicagenic acid saponins on plant pathogens: modification of the saccharide moiety and 23a substitution, 161
- Synthesis and antileukemic activity of certain D-fucopyranosyl nucleosides, 285
- Synthesis of β -D-galactosyl disaccharide derivatives by the β -D-galactosidase from *Bacillus circulans*, convenient, 315
- Tetrasaccharide donor corresponding to the O-specific polysaccharide of *Shigella dysenteriae* type 1, synthesis, 259
- 1-Thioglycosides, electrosyntheses of disaccharides from phenyl or ethyl, 237
- Tris(phosphates), synthesis of 1,5-anhydroxylitol and 1,5-anhydro-D-arabinitol 2,3,4-, 187
- Use of the "Core-II" *N*-acetylglucosaminyl-transferase in the chemical-enzymatic synthesis of a sialyl-Le^X-containing hexasaccharide found on O-linked glycoproteins, 149
- X-ray scattering study of the absorption of water into the starch granule, a small-angle, 225
- Xylitol and 1,5-anhydro-D-anhydro-D-arabinitol 2,3,4-tris(phosphates), synthesis of 1,5-anhydro-, 187